

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

WHAT WE CLAIM IS:

1. A method of detecting the presence of E. coli and/or other coliforms in a sample comprising the steps of:

(1) applying a medium containing at least one indicator chosen from galactosides and glucuronides, and an agent used to suppress the growth of non-coliform gram-negative bacteria to a support,

(2) applying a portion of said sample to be evaluated for the presence of E. coli and/or coliforms on the support prepared in step (1),

(3) incubating the product of step (2) for a time sufficient to cause evidence of growth of E. coli and other coliforms as represented by color change and/or fluorescence, and

(4) observing the medium for color changes and/or fluorescence to detect the presence or absence of E. coli and/or other coliforms.

2. A method of detecting E. coli and/or other coliforms in a sample in which one wishes to determine the presence or absence of E. coli and/or other coliforms comprising the steps of:

(1) preparing a growth medium containing at least one indicator chosen from galactosides and glucuronides, and an agent used to suppress the growth of non-coliform gram negative bacteria,

(2) introducing some of the sample which is to be observed to determine the presence or absence of E. coli

and/or other coliforms into/onto the preparation of step (1),

(3) incubating the product of step (2) for a time sufficient to cause evidence of growth of E. coli and other coliforms as represented by color change and/or fluorescence, and

(4) observing the medium for color changes and/or fluorescence to detect the presence of E. coli and other coliforms.

- 10 3. A method of claim 2 wherein, in step (2), a sample of interest is introduced by stabbing with a solid object that has been exposed to said sample of interest.
4. A method of claim 2 wherein, in step (2), a sample is introduced using a loop.
- 15 5. The method of claim 1 wherein the agent used to suppress the growth of non-coliform gram-negative bacteria is Cefsulodin.
6. The method of claim 5 wherein the Cefsulodin is present at a concentration of from 1 to 25 mg/L.
- 20 7. The method of claim 2 wherein the agent used to suppress the growth of non-coliform gram-negative bacteria is Cefsulodin.
8. The method of claim 7 wherein the Cefsulodin is present

at a concentration of from 1 to 25 mg/L.

9. A method of claim 1 wherein the medium applied to the support contains a solidifying agent.
10. A method of claim 2 wherein the medium contains, additionally, a solidifying agent.